

120ah Solar Portable Generator 1200w 1500w 2000w Outdoor Solar Power Station

Our Product Introduction

for more products please visit us on enikolnewenergy.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: ENIKOL
- Model Number: EPH1200
- Minimum Order Quantity: 100 pieces
- Price: \$280.00/pieces 100-499 pieces

ENIKOL



Product Specification

- Power Source: AC Adaptor, Car, Solar Panel
- Battery Type: LiFePO4
- Inverter Type: Pure Sine Wave
- Controller Type: MPPT
- Special Features: Type C, Cigar Lighter, Lighting Mode, SOS Mode
- Product Name: EPH1200
- Application: Outdoor Camping, Solar Energy Storage, Home Emergency Power, Etc.
- AC Output: 100~120V/60Hz, 220V~240V/50Hz
- Battery Capacity: 120AH (1512WH)
- Charging: AC/ Solar/ Car Three Charging Ways
- Rated Power: 1200W
- Lighting: Lighting Mode, SOS Mode
- Cycle Life: ≥2000 Times
- Warranty: 4 Years



More Images



Our Product

Product Description

New Type Portable Generator 1200w 1500w 2000w 120ah Energy Storage Battery Outdoor Solar Power Station

Specification

item	value
Model Number	EPH1200
Place of Origin	China

	Guangdong
Brand Name	ENIKOL
Power Source	AC Adaptor, Car, Solar Panel
Battery Type	LiFePO4
Inverter Type	Pure Sine Wave
Controller Type	MPPT
Special Features	Type C, Cigar Lighter, Lighting mode,SOS mode
Product name	EPH1200
Application	Outdoor camping, solar energy storage, home emergency power, etc.
AC output	100~120V/60Hz,220V~240V/50Hz
Battery Capacity	120AH (1512WH)
Charging	AC/ solar/ car three charging ways
Rated power	1200W
Lighting	Lighting mode,SOS mode
Cycle Life	≥2000 times
Warranty	1 Year
Battery Protection Function	Over current/ Overdischarge/ Short Circuit/ Overtemperature

Product Description

Outdoor Portable Power Station

Large capacity, High power

○ ● ○





BEST CHOICE FOR OUTDOOR

MULTIPLE ADVANTAGES, REST ASSURED TO CHOOSE



Widely compatible



USB fast charge



Multi-interface output



Multiple protection



High and low
temperature protection



Smart chip

High and low Temperature Protection

◦ • ◦



-20~55°C
Normal Work






**Double fan
forced air cooling**






Take 1512WH as an Example

○ ● ○





Product Information

○ ● ○





Product Parameters

○ ● ○



· EPH-1200



· EPH-2000

Item	Specification		
Model	EPH-1200	EPH-1500	EPH-2000
Rated capacity	1512WH	1776WH	2072WH
AC rated power	1200W	1500W	2000W
AC voltage	110V / 220V (Pure sine wave)		
USB output	5V/2.4A 5V/2.1A 5V/3A QC3.0		
Type-c output	PD 22W/30W/60W (Optional)		

Aviation interface	Output & Input 10A MAX		
Anderson interface(Optional)	Output & Input ≤50A		
DC12V interface	Output & Input ≤10A		
Cigarette lighter interface	Output 12V/10A		
LED light	Desk lamp ,Lighting mode,SOS mode		
Power size (L* W * H) mm	334*192*221	400*200*215	
Net weight	10.9kg	16.5kg	18.5kg
Display	LCD display		
Warranty	1 year, Design life ≥5 years		
Cycle life	≥2000 times		
Shell material	Iron +PC	Aluminum+PC	
Charging temperature	0 to + 45 ° C		
Operating temperature	-20 to + 55° C		
Protection functions	Overcharge protection, over discharge protection, over-current protection, short circuit protection, over temperature protection and low voltage alarm.		

ACCEPT OEM

Our Cooperation Partner

○ ● ○





Complete Product Certification



Applicable to outdoor places

• • •





Camping



RV



Picnic



Self driving



**Support DDP
battery shipment**

Export in Standard Dangerous
Cargo Package

FAQ

1.what can you buy from us?

Glow Stick, Energy Storage Lithium Battery, Outdoor Portable Power Supply, Solar Panels, Solar Inverter

2. why should you buy from us not from other suppliers?

Damien tech an industry and trade integration enterprise, with super strong technology and production capacity, products include all kinds of power supply, the most important thing is to customize all kinds of power supply according to your needs.

ENIKOL Damien New Energy Technology (Shenzhen) Co., Ltd.



86 17727596282



andy@enikolnewenergy.com



enikolnewenergy.com

Guangming District, Shenzhen,Guangdong Province, China